

# FIBULE™

FIBULE ALP TITANIUM DISTAL FIBULA PLATE 2.5 & 2.7 / 3.5



PERFECT BONE FIT  
VARIABLE ANGLE


# TIDIS II™

TIDIS II ALP TITANIUM DISTAL PLATE 3.5



**TRAUFIX**  
READY TO RUN®

## TIDIS II ALP TITANIUM DISTAL TIBIA PLATE 3.5



ROUNDED PROFILE PLATE  
TO REDUCE THE RISK OF SOFT TISSUE IRRITATION


LOW DISTAL PROFILE **1.6mm**



SEVEN POLYAXIAL HOLES ( $\pm 15^\circ$ ) AND TWO MONOAXIALS  
TO AVOID JOINT DAMAGE TO THE FIBULA

DISTAL HOLE TOWARDS THE TIBIAL MALLEOLUS WITH  
30° DEGREE INCLINATION + 15° DEGREE POLYAXIAL

SUPERFICIAL LOW CONTACT  
NOTCHES AT THE TOP OF THE PLATE  
ALLOW BLOW VESSEL CIRCULATION



Tidis II ALP Titanium Distal Tibia Plate

Left(**Code 165**) / Right(**Code 164**) Version

5, 7, 9, 11 and 13 Shaft holes

3.5mm TITANIUM CORTEX LOCKING SCREW (**Code 106**, Length 12mm-60mm)  
3.5mm TITANIUM CANCELLOUS LOCKING SCREW (**Code 107**, Length 12mm-60mm)  
3.5mm TITANIUM CORTEX SCREW (**Code 112**, Length 12mm-60mm)

## FIBULE ALP TITANIUM DISTAL FIBULA PLATE 2.5 & 2.7 / 3.5



Plate design is anatomical and low profile, both  
distally and diaphyseal.

FIVE DISTAL POLYAXIAL HOLES THAT ACCEPT 2.5mm AND 2.7mm  
LOCKING SCREWS

COMBINED HOLES

ROUNDED EDGES TO MINIMISE SOFT ISSUE IRRITATION


ANATOMICAL STRUCTURE

Fibule ALP Titanium Distal Fibula Plate

Left(**Code 234**) / Right(**Code 233**) Version

3, 4, 5, 6, 7, 9 and 11 Shaft holes

2.5mm TITANIUM CORTEX LOCKING SCREW (**Code 155**, Length 08mm-30mm)  
2.7mm TITANIUM CORTEX LOCKING SCREW (**Code 170**, Length 06mm-60mm)  
3.5mm TITANIUM CORTEX LOCKING SCREW (**Code 106**, Length 12mm-60mm)  
3.5mm TITANIUM CORTEX SCREW (**Code 112**, Length 12mm-60mm)




A | LT(mm)

**0.70**


TIDIS II ALP TITANIUM DISTAL TIBIA PLATE

Total Lengths Chart

PLATE	TIDIS II
HOLES	LT (mm)
5 Holes	121.00
7 Holes	147.00
9 Holes	173.00
11 Holes	199.00
13 Holes	225.00




Specifications



FIBULE ALP TITANIUM DISTAL FIBULA PLATE

Total Lengths Chart

PLATE	FIBULE
HOLES	LT (mm)
3 Holes	73.00
4 Holes	86.00
5 Holes	99.00
6 Holes	114.00
7 Holes	127.00
9 Holes	153.00
11 Holes	179.00



Specifications



Titanium Alloy 6Al4V ELI ASTM F136

Special for surgical implants

Design by **TRAUFIX**  
READY TO RUN



MADE IN MEXICO



\*Refer to 510(k) for cleared devices. Some pictures of devices in this banner are not 510k cleared.



510 (k) K201510  
\*Consult products



# ALP MODULAR SYSTEM | ALL IN ONE KIT

PLATES AND INSTRUMENTS IN ONE KIT | EASY & COMFORTABLE

## ALP SMALL FRAGMENTS SET

### QTY. EQUIPMENT

- 2 Guide wire with threaded tip Ø1.1mm
- 2 Kirschner Wire Ø1.6mm
- 1 Depth gauge stainless steel Ø60mm
- 1 T-Handle with quick coupling (AO)
- 1 Handle with torque wrench AO anchor Ø1.5 NM
- 1 Screwdriver with hexagon tip for 3.5/4.0 w/holder screw Ø2.5mm
- 1 Eccentric neutral Drill guide Ø 2.5mm
- 2 Ø 2.5 / 3.5 Double Drill guide
- 1 Countersink tip Ø6mm
- 1 Hexagon screwdriver tip with AO anchor Ø2.5mm
- 1 Tap point Ø3.5mm
- 1 Screw extractor tip (with cone tip) Ø2.5mm
- 1 Drill bit with AO anchor Ø2.5 x 150mm
- 1 Drill bit with AO anchor Ø2.7 x 150mm
- 1 Drill bit with AO anchor Ø3.5 x 150mm
- 1 Reamer Tip (Punch) for Small Fragments Ø 6.5 mm
- 2 Drill guide / sleeve Ø2.7mm
- 1 Stop end clamp 120 cm
- 1 Handle with torque AO green 0.8 NM
- 1 Watchmaker handle with blue AO input 10cm
- 1 Osteotome mini-lamb Ø8 x 125mm
- 1 Osteotome mini-lamb Ø6 x 125mm
- 1 Osteotome mini-lamb Ø4 x 125mm
- 1 Osteotome mini-lamb Ø3 x 125mm
- 2 Kirschner Wire Ø1.1 X 100mm
- 1 Adson brown forceps 12.5cm
- 2 Hexagon screwdriver tip with AO T8 anchor Ø2.5mm
- 1 Lionter gauge 50mm
- 2 Mini-Hohmann spacer Ø 6mm
- 1 Ø 2.0/2.7mm Double Drill guide
- 2 Drill bit with AO anchor Ø2.0 x 125mm
- 2 Drill guide / sleeve (torx) Ø2.0 / 2.5mm




Our containers for implants and screws are manufactured with **TECAPRO MT** (Heat Stabilized Polypropylene) PP Medical Grade

Ideal material for sterilization containers

## ALP SUPPORT EQUIPMENT FOR SMALL FRAGMENTS

### QTY. EQUIPMENT

- 1 Volkman spoon 17cm
- 1 Hammer 200 G
- 1 Triscators for small fragments 19.5cm
- 1 Osteotomo mini lambotte 8mm
- 1 Osteotomo mini lambotte 12mm
- 1 Periosteal elevator 9 mm
- 2 Hohmann spacers (pair) 8/22
- 1 Kirschner cutter f/pin kirschner
- 1 Multitoothed tweezers
- 1 Gouge forceps 20 cm
- 1 Field type clamp 20cm
- 2 Kern Bone Holding Forceps 17cm
- 2 Field type clamp 13.5mm
- 2 Verbrugge clamp 17.5cm
- 2 14 cm multitoothed tweezers



**TRAUFIX**

internationalsales@fixier.com.mx  
(+52) 55 8106 3240

[www.traufix.com](http://www.traufix.com)

**DIPROMEDIC MEXICO**

customerservice@dipromedic.com  
(55) 9000 4888/ 89/ 90/ 91

**DIPROMEDIC PERU**

gustavo.dominguez@dipromedic.com  
ventas.interdipro.peru@dipromedic.com  
(+51) 947 732 069

 traufix.mx

 traufix